# Report on the butterflies collected from Chongqing, Shaanxi and Gansu, China in 2015

(Lepidoptera: Papilionoidea, Hesperoidea)

by SI-YAO HUANG received 30.III.2016

**Abstract**: A list of the butterflies collected by the author and his colleague in the Chinese Provinces of Chongqing, S. Shaanxi and S. Gansu in the summer of 2015 is presented.

In the summer of 2015, the author accomplished a survey on butterflies at the following localities (fig. A):

Chongqing Province: Simianshan, 4th-9th July.

**Shaanxi Province**: Liping Natural Reserve, Nanzheng County: 12<sup>th</sup>-14<sup>th</sup> July; Danangou, Fengxian County: 31<sup>st</sup> July; Dongshan, Taibai County: 1<sup>st</sup> August; Miaowangshan, Fengxian County: 2<sup>nd</sup> August; Xiaonangou, Fengxian County: 3<sup>rd</sup>-5<sup>th</sup> August; Zhufeng, Fengxian County: 5<sup>th</sup> August.

**Gansu Province**: Xiongmaogou, Xiahe County: 16<sup>th</sup>-18<sup>th</sup> July; Laolonggou, Diebu County: 20<sup>th</sup> July; Meilugou, Diebu County: 21<sup>st</sup> July; Tiechiliang, Diebu County: 22<sup>nd</sup> July; Lazikou, Diebu County: 23<sup>rd</sup> July; Tiangangou, Zhouqu County: 25<sup>th</sup>-26<sup>th</sup> July; Pianpiangou, Zhouqu County: 28<sup>th</sup>-29<sup>th</sup> July.

### A checklist of butterflies collected from Chongqing, Shaanxi and Gansu in 2015

Hesperiidae

Coeliadinae

1. Hasora tarminatus (Hübner, 1818): 1 & 7-VII, Simianshan, leg. & coll. Guo-Xi Xue.

Pyrginae

- 2. Gerosis phisara (Moore, 1884): 1 ♂, 6-VII, Simianshan.
- 3. Celaenorrhinus maculosus (C. & R. Felder, [1867]): 5 30, 6-VII, Simianshan.
- 4. Celaenorrhinus oscula Evans, 1949: 4 dd, 6-VII, Simianshan.
- 5. Celaenorrhinus patula De Nicéville, 1889: 4 °C, 8-VII; 1 °C, 9-VII Simianshan.
- 6. *Satarupa nymphalis* (Speyer, 1879): 1 ♂, 7-VII, Simianshan; 1 ♂, 25-VII; 1 ♀, 26-VII, Tiangangou, Zhouqu County; 1 ♂, 29-VII, Pianpiangou, Zhouqu County.
- 7. Satarupa monbeigi OBERTHÜR, 1921: 1 3, 5-VIII, Xiaonangou, Fengxian County.
- 8. Abraximorpha davidii (Mabille, 1876): 1 °, 6-VII, Simianshan.
- 9. Daimio tethys (Ménétriés, 1857): 1 °, 7-VII, Simianshan.

Hesperiinae

- 10. Ampittia virgata (LEECH, 1890): 1 ♂, 9-VII, Simianshan.
- 11. Halpe nephele Leech, [1894]: 1 ♂, 7-VII, Simianshan.
- 12. Scobura masutaroi (Sugiyama, 1996): 1 °, 7-VII, Simianshan.
- 13. Notocrypta feisthamelii (Boisduval, 1832): 2 %, 9-VII, Simianshan.
- 14. Isoteinon lamprospilus C. & R. Felder, 1862 : 2 °C', 8-VII, Simianshan.
- 15. Lotongus saralus (De Nicéville, 1889): 1 &, 6-VII, Simianshan.
- 16. Parnara batta Evans, 1949: 1 o, 9-VII, Simianshan.
- 17. Pelopidas sinensis (MABILLE, 1877): 1 &, 2-VIII, Miaowangshan, Fengxian County.
- 18. *Polytremis matsuii* (Sugiyama, 1997): 1 ♂, 7-VII, Simianshan.
- 19. Polytremis gigantea (Тѕикічама, Сніва & Гилока, 1997): 3 🖧, 6-VII, Simianshan.
- 20. *Polytremis nascens* (Leech, [1893]): 11 ♂♂, 4 ♀, 31-VII, Danangou, Fengxian County; 2 ♂♂, 3 ♀, 2-VIII, Miaowangshan, Fengxian County; 2 ♀, 1-VIII, Dongshan, Taibai County.
- 21. Polytremis zina (Evans, 1932): 3 od, 13-VII, Liping Natural Reserve, Nanzheng County.
- 22. Ochlodes klapperichii Evans, 1940: 2 %, 7-VII, Simianshan.
- 23. Ochlodes ochracea (Bremer, 1861): 3 ♂♂, 1 ♀, 12-VII, Liping Natural Reserve, Nanzheng County; 2 ♂♂, 1-VIII, Dongshan, Taibai County; 1 ♂, 21-VII, Meilugou, Diebu County; 1 ♂, 1 ♀, 28-VII, 1 ♂, 29-VII, Pianpiangou, Zhouqu County.
- 24. Ochlodes similis (Leech, 1893): 2 ♂♂, 1 ♀, 21-VII, Meilugou, Diebu County; 2 ♂♂, 25-VII; 2 ♂♂, 26-VII; 1 ♂, 28-VII, Tiangangou. Zhougu County.
- 25. Ochlodes subhyalina (Bremer & Grey, 1853): 2 ♂♂, 2 ♀, 23-VII, Lazikou, Diebu County; 1 ♂, 1 ♀, 28-VII; 1 ♂, 29-VII, Pianpiangou, Zhouqu County.
- 26. Thymelicus sylvaticus (Bremer, 1861): 1 of, 7-VII, Simianshan, 2 of 28-VII, Pianpiangou, Zhouqu County.
- 27. *Thymelicus lineola* Ochsenheimer, 1808: 1 ♀, 28-VII, Pianpiangou, Zhouqu County; 4 ♂♂, 1 ♀ 1-VIII, Dongshan, Taibai County.
- 28. Thymelicus leoninus (BUTLER, 1878): 2 or, 12-VII, Liping Natural Reserve, Nanzheng County.
- 29. Carterocephalus stax Sugiyama, 1992: 12 ♂♂, 3 ♀, 5-VIII, Zhufeng, Fengxian County.

- 30. Carterocephalus houngty OBERTHÜR, 1886: 1 07, 21-VII, Meilugou, Diebu County.
- 31. Pyrgus maculatus (Bremer & Grey, 1853): 1 9, 28-VII; 2 or 29-VII, Pianpiangou, Zhouqu County.

# Papilionidae

## Papilioninae

- 32. Papilio bianor Cramer, [1777]: 1 °, 8-VII, Simianshan; 1 °, 25-VII, Tiangangou, Zhouqu County; 1 °, 29-VII, Pianpiangou, Zhougu County.
- 33. Papilio macilentus Janson, 1877: 1 &, 25-VII, Tiangangou, Zhougu County.
- 34. Papilio xuthus (Linnaeus, 1767): 1 3, 23-VII, Lazikou, Diebu County.
- 35. Graphium sarpedon (LINNAEUS, 1758): 1 &, 8-VII, Simianshan.
- 36. Byasa confusus Jordan, 1896: 2 od, 14-VII, Liping Natural Reserve, Nanzheng County.

#### Parnasiinae

- 37. Parnassius stubbendorfii Ménétriès, 1849: 1 ♂, 18-VII, Xiongmaogou, Xiahe County.
- 38. Parnassius jacquemontii Boisduval, 1836: 1 , 18-VII, Xiongmaogou, Xiahe County.
- 39. Parnassius orleans OBERTHÜR, 1890: 2 ♂♂, 3 ♀, 17-VII, Xiongmaogou, Xiahe County.
- 40. Parnassius imperator OBERTHÜR, 1883: 3 ♂♂, 22-VII, Tiechiliang, Diebu County.

#### Pieridae

#### Pierinae

- 41. *Delias berinda* (Moore, 1872) (fig. 17, 18): 1 ♀, 7-VII, Simianshan.
- 42. Pieris erutae Poujade, 1888: 2 %, 1 9, 5-VII, Simianshan.
- 43. Pieris extensa Poujade, 1888: 2 ♂♂, 1 ♀, 12-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 26-VII, Tiangangou, Zhouqu County; 1 3, 28-VII, Pianpiangou, Zhouqu County.

- 44. *Pieris brassicae* (Linnaeus, 1758): 1 °, 25-VII, Tiangangou, Zhouqu County.
  45. *Pieris venata* (Leech, 1891): 1 °, 17-VII; 1 °, 18-VII, Xiongmaogou, Xiahe County.
  46. *Mesapia peloria* (Hewitson, [1853]): 1 °, 17-VII, 1 °, 18-VII, Xiongmaogou, Xiahe County.
- 47. Aporia procris Leech, 1890: 2 ♂♂, 16-VII; 1 ♀, 17-VII; 4 ♂♂, 18-VII, Xiongmaogou, Xiahe County.
- 48. Aporia nishimurai Koiwaya, 1989 (fig. 15, 16): 1 ♀, 25-VII, Tiangangou, Zhouqu County.
- 49. Aporia delavayi (OBERTHÜR, 1890): 1 &, 2 \, 21-VII, Meilugou, Diebu County; 1 &, 25-VII, Tiangangou, Zhouqu County.
- 50. Aporia genestieri (OBERTHÜR, 1902): 1 ♂, 12-VII; 1 ♂, 13-VII; 1 ♀, 13-VII, Liping Natural Reserve.

### Coliadinae

- 51. Dercus lycorias (Doubleday, 1842): 1 °, 6-VII; 1 °, 8-VII, Simianshan.
- 52. Gonepteryx amintha Blanchard, 1871: 1 ♂, 13-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 31-VII, Danangou, Fengxian County.
- 53. Gonepteryx aspasia (Ménétriès, 1859): 2 φ, 25-VII; 1 φ, 26-VII, Tiangangou, Zhouqu County; 1 φ, Pianpiangou, Zhouau County.
- 54. Colias poliographus Motschulsky, 1860: 1 &, 28-VII, Pianpiangou, Zhouqu County.
- 55. Colias fieldii (Ménétriès, 1855): 1 °, 14-VII, Liping Natural Reserve, Nanzheng County; 1 °, 17-VII, 1 °, 18-VII, Xiongmaogou, Xiahe County; 2 or, 21-VII, Meilugou, Diebu County; 1 or, 22-VII, Tiechiliang, Diebu County.
- 56. Pontia edusa (Fabricius, 1777): 1 &, 28-VII, Pianpiangou, Zhougu County.
- 57. Leptidea gigantea (Leech, 1890): 1 °, 13-VII, Liping Natural Reserve, Nanzheng County; 1 °, 23-VII, Lazikou, Diebu County.
- 58. Leptidea sinapis (Linnaeus, 1758): 2 od, 21-VII, Meilugou, Diebu County; 1 od, 26-VII, Tiangangou, Zhouqu County

# Nymphalidae

### Danainae

59. *Parantica sita* (Kollar, [1844]): 1 ♂, 8-VII; 1 ♀, 6-VII, Simianshan.

## Morphinae

- 60. Aemona oberthueri (STICHEL, 1906): 1 ♂, 1 ♀, 6-VII; 1 ♀, 9-VII, Simianshan.
- 61. Faunis aerope (LEECH, 1890): 1 J., 5-VII; 1 J. 6-VII; 1 J., 7-VII, Simianshan; 1 J., 14-VII, Liping Natural Reserve, Nanzheng County.

#### Heliconiinae

- 62. Argynnis hyperbius (Linnaeus, 1763): 1 3, 7-VII, Simianshan.
- 63. Argynnis adippe (ROTTEMBURG, 1775): 2 ♂♂, 14-VII, Liping Natural Reserve, Nanzheng County; 1 ♂, 31-VII, Danangou, Fengxian County.
- 64. Argynnis laodice (PALLAS, 1771): 2 od, 12-VII, Liping Natural Reserve, Nanzheng County; 1 of 21-VII, Meilugou, Diebu County.
- 65. Argynnis childreni (GRAY, 1831): 3 od, 13-VII, Liping Natural Reserve, Nanzheng County.
- 66. Argynnis sagana (Doubleday, [1847]): 2 or, 13-VII, Liping Natural Reserve, Nanzheng County; 3 or, 28-VII, Pianpiangou, Zhouqu County.
- 67. Boloria palina (Fruhstorfer, 1904): 3 ♂♂, 17-VII; 20 ♂♂, 19, 18-VII; Xiongmaogou, Xiahe County; 12 ♂♂, 22-VII, Tiechiliang, Diebu County.
- 68. Clossiana gong Oberthür, 1884: 13 ♂♂, 2 ♀, 18-VII, Xiongmaogou, Xiahe County; 1 ♂, 21-VII, Meilugou, Diebu County; 2 ord, 28-VII; 1 or, 29-VII, Pianpiangou, Zhouqu County; 3 ord, 2-VIII, Miaowangshan, Fengxian Coun-

- ty; 1 ord, 31-VII, Danangou, Fengxian County.
- 69. Issoria eugenia (Eversmann, 1847): 6 ♂♂, 2 ♀, 22-VII, Tiechiliang, Diebu County.

## Nymphalinae

- 70. Symbrenthia leoparda Chou & Li, 1994: 1 ♀, 6-VII, Simianshan.
- 71. Araschnia doris Leech, 1892: 1 &, 12-VII, Liping Natural Reserve, Nanzheng County.
- 72. Araschnia davidis Poujade, 1885: 1 °, 21-VII, Meilugou, Diebu County.
- 73. Polygonia c-album (Linnaeus, 1758): 1 & 4-VII, Headwater of Jialingjiang River, Fengxian County.
- 74. Junonia orithya (LINNAEUS, 1758): 1 °, 13-VII, Liping Natural Reserve, Nanzheng County.
- 75. Vanessa cardui (LINNAEUS, 1758): 1 °, 22-VII, Tiechiliang, Diebu County.
- 76. Kaniska canace (Linnaeus, 1763): 1 , 20-VII, Laolonggou, Diebu County.
- 77. Aglais nixa Grum-Grshimailo, 1890: 4 ord, 22-VII, Tiechiliang, Diebu County.
- 78. Inachis io (Linnaeus, 1758): 1 3, 26-VII, Tiangangou, Zhouqu County.
- 79. *Melitaea arcesia* Bremer, 1861: 1 ♂, 17-VII; 1 ♀, 16-VII, Xiongmaogou, Xiahe County; 13 ♂♂, 2 ♀, 22-VII, Tiechiliang, Diebu County.

#### Charaxinae

80. Polyura narcaea (Hewitson, 1854): 1 o, 9-VII, Simianshan.

#### Cyrestinae

81. Stibochiona nicea (GRAY, 1846): 1 ♂, 6-VII, Simianshan.

#### Limentinae

- 82. Euthalia strephon Grose-Smith, 1893: 1 oz, 7-VII, Simianshan.
- 83. Euthalia bunzoi Sugiyama, 1996: 1 3, 8-VII, Simianshan.
- 84. Euthalia kameii Koiwaya, 1996: 1 &, 25-VII, Tiangangou, Zhouqu County; 1 &, 28-VII, Pianpiangou, Zhouqu County; 2 &&, 31-VII, Danangou, Fengxian County.
- 85. Abrota ganga Moore, 1857: 1 ♀, 5-VIII, Xiaonangou, Fengxian County.
- 86. Athyma opalina (Kollar, [1844]): 1 °, 7-VII; 1 °, 9-VII, Simianshan.
- 87. Athyma asura Moore, 1858: 1 °, 9-VII, Simianshan.
- 88. Limenitis ciocolitana Poujade, 1885: 1 07, 31-VII, Danangou, Fengxian County.
- 89. Limenitis mimica (POUJADE, 1885): 1 ♂, 13-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 25-VII, Tiangang-ou, Zhouqu County; 1 ♂, 31-VII, Danangou, Fengxian County.
- 90. Limenitis cleophas OBERTHÜR, 1893: 1 o., 14-VII, Liping Natural Reserve, Nanzheng County.
- 91. Limenitis homeyeri Tancré, 1881: 1 ♂, 1 ♀, 13-VII, Liping Natural Reserve, Nanzheng County; 1 ♂, 21-VII, Meilugou, Diebu County; 1 ♂, 28-VII, 1 ♂, 29-VII, Pianpiangou, Zhouqu County.
- 92. Limenitis helmanni Lederer, 1853: 1 °, 1 °, 25-VII, Tiangangou, Zhouqu County, 1 °, 28-VII, Pianpiangou, Zhouqu County.
- 93. Limenitis cottini Oberthur, 1884: 1 J., 21-VII, Meilugou, Diebu County; 1 J., 28-VII, Tiangangou, Zhouqu County.
- 94. Patsuia sinensium (OBERTHÜR, 1876): 1 ♂, 21-VII, Meilugou, Diebu County; 3 ♂♂, 26-VII, Tiangangou, Zhouqu County.
- 95. Parasarpa albomaculata (Leech, 1891): 1 ♂, 26-VII; 1 ♂, 25-VII, Tiangangou, Zhouqu County, 1 ♀, 28-VII, Pianpiangou, Zhouqu County.
- 96. Neptis sappho (Pallas, 1771): 1 °, 12-VII, Liping Natural Reserve, Nanzheng County; 1 °, 29-VII, Pianpiangou, Zhouqu County.
- 97. Neptis sankara (Kollar, [1844]): 1 \, 8-VII, Simianshan.
- 98. Neptis soma Moore, 1858: 1 °, 5-VII; 1 °, 9-VII, Simianshan.
- 99. Neptis clinia Moore, 1872: 2 od, 9-VII, Simianshan.
- 100. Neptis yerburii Butler, 1886: 1 °, 6-VII; 1 °, 8-VII; 2 °°, 9-VII, Simianshan.
- 101. Neptis meloria Oberthür, 1906: 1 ♀, 9-VII, Simianshan.
- 102. Neptis thestia Leech, 1890: 1 ♀, 6-VII, Simianshan.
- 103. Neptis radha Moore, 1857: 3 or, 7-VII, Simianshan.
- 104. Neptis miah Moore, 1857: 1 &, 9-VII, Simianshan.
- 105. Neptis armandia Oberthür, 1876: 1 &, 8-VII, Simianshan; 1 &, 28-VII; 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 106. Neptis beroe Leech, 1890: 1 ♀, 6-VII, Simianshan.
- 107. Neptis rivularis (Scopoli, 1763): 3 ♂♂, 13-VII; 1 ♂, 12-VII, Liping Natural Reserve, Nanzheng County; 3 ♂♂, 1 ♀, 21-VII, Meilugou, Diebu County; 1 ♂, 25-VII; 2 ♂♂, 1 ♀, 26-VII, Tiangangou, Zhouqu County; 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 108. Neptis cydippe Leech, 1890: 1 ♂, 12-VII; 1 ♂, 13-VII, Liping Natural Reserve, Nanzheng County; 2 ♂♂, 25-VII, Tiangangou, Zhouqu County; 1 ♂, 1 ♀, 28-VII, Pianpiangou, Zhouqu County.
- 109. Neptis nemorosa Oberthür, 1906: 1 ♀, 14-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 28-VII, Pianpiangou, Zhouqu County.
- 110. Neptis ilos Fruhstorfer, 1909: 1 o., 12-VII, Liping Natural Reserve, Nanzheng County.
- 111. Neptis themis Leech, 1890: 1 ♀, 2-VIII, Miaowangshan, Fengxian County; 1 ♀, 31-VII, Danangou, Fengxian County; 1 ♂, 29-VII, Pianpiangou, Zhouqu County.
- 112. Neptis andetria Fruhstorfer, 1913: 1 °, 14-VII, Liping Natural Reserve, Nanzheng County; 2 ° °, 28-VII, Pianpiangou, Zhouqu County.
- 113. Neptis thisbe (Ménétriès, 1859): 1 ♂, 28-VII; 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 114. Neptis mahendra Moore, 1872 (fig. 11, 13): 1 o, 28-VII; 1 o, 19, 29-VII, Pianpiangou, Zhouqu County.
- 115. Neptis choui Yuan & Wang, 1994 (fig. 12, 14): 2 😜, 28-VII, Pianpiangou, Zhouqu County. Remarks: These 2 😜

agree mostly with the unique holotype of *N. choui* Yuan & Wang from Ningshan County, Shaanxi Province, but differ from the latter in having the discal band on both sides of hindwing broader and the white markings on both wings upperside more prominent. One of them has the discal band wider than in another specimen but narrower than in a  $\circ$  of *N. mahendra* Moore collected in the same locality (fig. 13). Bozano (2008) stated that this species is hardly distinguishable from *N. soma* Moore, 1858. However, after examing the specimens from Zhouqu County, I concluded that *N. choui* Yuan & Wang is more closely related to *N. mahendra* Moore by having the pure white markings on both wings upperside in contrast to the creamy white markings in *N. soma* Moore.

## Libytheinae

116. Libythea lepita Moore, 1857: 1 o, 29-VII, Pianpiangou, Zhouqu County.

## Apaturinae

- 117. Apatura iris (Linnaeus, 1758): 1 &, 26-VII, Tiangangou, Zhouqu County; 1 \, 28-VII, Pianpiangou, Zhouqu County.
- 118. Apatura ilia (Schiffer-Müller, 1775): 1 ♀, 25-VII, Tiangangou, Zhouqu County.
- 119. Mimathyma schrenckii (Ménétriès, 1859): 19, 2-VIII, Miaowangshan, Fengxian County.

## Satyrinae

- 120. Penthema adelma (C. & R. Felder, 1862): 1 o, 6-VII, Simianshan.
- 121. Melanitis phedima (CRAMER, [1780]): 1 ♂, 6-VII, Simianshan.
- 122. Acropolis thalia (LEECH, 1891): 3 ੱਟੋ, 6-VII, Simianshan.
- 123. Ypthima tappana Matsumura, 1909: 2 ♂♂, 1 ♀, 8-VII, Simianshan.
- 124. Ypthima conjuncta Leech, 1891: 1 °, 6-VII, Simianshan.
- 125. *Ypthima multistriata* Butler, 1883: 2 ♂♂, 12-VII, Liping Natural Reserve, Nanzheng County; 1 ♂, 28-VII, Pianpiangou, Zhouqu County; 1 ♂, 29-VII, Pianpiangou, Zhouqu County; 1 ♀, 31-VII, Danangou, Fengxian County.
- 126. *Ypthima argus* Butler, 1866: 1 ♂, 7-VII; 1 ♂, 9-VII, Simianshan; 2 ♂♂, 1 ♀, 12-VII; 2 ♀, 14-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 25-VII, Tiangangou, Zhouqu County; 1 ♀, 28-VII, Pianpiangou, Zhouqu County; 2 ♀, 13-VII, Liping Natural Reserve, Nanzheng County.
- 127. Ypthima eckweileri Uémura & Koiwaya, 2001 (fig. 1, 2): 3 of 3, 14-VII, Liping Natural Reserve, Nanzheng County.
- 128. Ninguta schrenckii (Ménétriès, 1859): 1 °, 12-VII, Liping Natural Reserve, Nanzheng County.
- 129. *Tatinga thibetana* (OBERTHÜR, 1886): 1 ♂, 1 ♀, 21-VII, Meilugou, Diebu County; 2 ♂♂, 31-VII, Danangou, Fengxian County; 1 ♀, 2-VIII, Miaowangshan, Fengxian County.
- 130. Neope armandii (OBERTHÜR, 1876): 1 ♀, 31-VII, Danangou, Fengxian County.
- 131. Neope serica Leech, 1892: 1 ♀, 13-VII, Liping Natural Reserve, Nanzheng County.
- 132. *Rhaphicera dumicola* (OBERTHÜR, 1876): 1 ♂, 28-VII; 1 ♀, 29-VII, Pianpiangou, Zhouqu County; 1 ♀, 3-VIII, Xiaonangou, Fengxian County.
- 133. Lopinga catena Leech, 1892: 3 ♀, 29-VII, Pianpiangou, Zhouqu County; 5 ♀, 31-VII, Danangou, Fengxian County.
- 134. *Lopinga gerdae* Nordström, 1939: 1 ♂, 16-VII; 5 ♂♂, 7 ♀, 18-VII, Xiongmaogou, Xiahe County; 1 ♀, 20-VII, Laolonggou, Diebu County.
- 135. *Lopinga eckweileri* Görgner, 1990: 1♀, 21-VII, Meilugou, Diebu County, leg. Guo-Xi Xue, kept in Dr. Song-Yun Lang's collection, Chengdu, China.
- 136. Lethe manzorum (Poujade, 1884): 1♀, 7-VII, Simianshan; 1♀, 3-VIII; 1♀, 4-VIII, Xiaonangou, Fengxian County.
- 137. *Lethe verma* (Kollar, [1844]): 1 ♂, 6-VII; 1 ♂, 8-VII; 1 ♀, 9-VII, Simianshan.
- 138. Lethe oculatissima (Poujade, 1885): 1 ♂, 28-VII, Pianpiangou, Zhouqu County, 1♀, 31-VII, Danangou, Fengxian County.
- 139. Lethe marginalis Motschulsky, 1860: 2 ♂♂, 12-VII; 1 ♂, 14-VII, Liping Natural Reserve, Nanzheng County.
- 140. Lethe proxima Leech, [1892]: 1 ♂, 13-VII, Liping Natural Reserve, Nanzheng County.
- 141. Lethe lanaris Butler, 1877: 1 ♂, 12-VII, Liping Natural Reserve, Nanzheng County; 3 ♀, 5-VIII, Xiaonangou, Fengxian County.
- 142. *Lethe liyufeii* Huang, 2014 (fig. 7, 8): 2 ♀, 29-VII, Pianpiangou, Zhouqu County; 1 ♀, 31-VII, Danangou, Fengxian County; 1 ♂, 2 ♀, 3-VIII, Xiaonangou, Fengxian County. **Remarks**: The 2 ♀ obtained from Zhouqu County are markedly smaller than the ♀ collected from Fengxian County, with a forewing-length of 31mm against 35mm.
- 143. Lethe leei Zhao & Wang, 2000 (fig. 3-6): 11 ♂♂, 3 ♀, 31-VII, Danangou, Fengxian County
- 144. Lethe christophi Leech, 1891: 19, 12-VII, Liping Natural Reserve, Nanzheng County.
- 145. Lethe diana (Butler, 1866): 1 ♀, 31-VII, Danangou, Fengxian County.
- 146. Lethe uemurai Sugiyama, 1994: 1 ♀, 21-VII, Meilugou, Diebu County; 1 ♂, 31-VII, Danangou, Fengxian County.
- 147. Lethe privigna Leech, [1892]: 2 od, 3 99, 3-VIII; 1 9, 5-VIII Xiaonangou, Fengxian County.
- 148. Lethe nigrifascia Leech, 1890: 1, 3-VIII, Xiaonangou, Fengxian County; 3, 31-VII, Danangou, Fengxian County.
- 149. *Lethe serbonis* (Hewitson, 1876): 3 ♂♂, 25-VII; 1 ♂, 26-VII, Tiangangou, Zhouqu County; 2 ♂♂, 29-VII, Pianpiangou, Zhouqu County; 1 ♀, 3-VIII, Xiaonangou, Fengxian County.
- 150. Lethe cyrene Leech, 1890: 1 ♀, 3-VIII, Xiaonangou, Fengxian County.
- 151. *Kirinia epiminides* (Ménétriés, 1859): 2 ♀, 27-VII; 3 ♂♂, 1 ♀, 29-VII, Pianpiangou, Zhouqu County; 2 ♂♂, 1 ♀, 2-VIII, Miaowangshan, Fengxian County.
- 152. *Melanargia meridionaris* (C. & R. Felder, 1862): 1 ♂, 1 ♀, 25-VII, Tiangangou; 1 ♂, 27-VII; 1 ♂, 28-VII, Pianpiangou, Zhouqu County; 2 ♂♂, 1-VIII, Dongshan, Taibai County; 1 ♂, 31-VII, Danangou, Fengxian County.
- 153. *Melanargia montana* (Leech, 1890): 1 ♂, 12-VII, Liping Natural Reserve, Nanzheng County; 2 ♂♂; 1 ♀, 13-VII, Liping Natural Reserve, Nanzheng County.
- 154. *Melanargia ganymedes* RüHL, 1895: 9 ♂♂, 21-VII, Meilugou, Diebu County; 1 ♀, 22-VII, Tiechiliang, Diebu County; 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 155. Hemadara rurigena (Leech, 1890): 3 or, 12-VII, Liping Natural Reserve, Nanzheng County.

- 156. *Minois dryas* (Scopoli, 1763) (fig. 9, 10): 2 ♂♂, 29-VII, Pianpiangou, Zhouqu County; 1 ♂, 1 ♀ 1-VIII, Dongshan, Taibai County.
- 157. Aphantopus hyperantus (Linnaeus, 1758): 7 ♂♂, 16-VII; 2 ♂♂, 17-VII; 1 ♂, 18-VII, Xiongmaogou, Xiahe County; 5 ♂♂, 2 ♀, 22-VII, Tiechiliang, Diebu County; 5 ♂♂, 21-VII, Meilugou, Diebu County; 1 ♂, 1 ♀, 1-VIII, Dongshan, Taibai County.
- 158. Aphantopus arvensis Oberthür, 1876: 2 ♀, 21-VII, Meilugou, Diebu County; 1 ♀, 23-VII, Lazikou, Diebu County; 1 ♂, 2 ♀, 29-VII, Pianpiangou, Zhouqu County; 1 ♀, 31-VII, Danangou, Fengxian County; 1 ♀, 1-VIII, Dongshan, Taibai County.
- 159. Erebia alcmena Grum-Grshimailo, 1891: 9 od, 18-VII, Xiongmaogou, Xiahe County; 1 of 22-VII, Tiechiliang, Diebu County; 7 od, 5-VIII, Zhufeng, Fengxian County.
- 160. Palaeonympha opalina BUTLER, 1871: 2 ♀♀, 12-VII, Liping Natural Reserve, Nanzheng County.
- 161. Coenonympha amaryllis (STOLL, [1782]): 2 &&, 26-VII, Xiongmaogou, Xiahe County; 1 &, 3-VIII, Xiaonangou, Fengxian County.
- 162. Coenonympha semenovi Alphéraky, 1887: 1 °с, 16-VII; 2 °с, 17-VII; 8 male, 18-VII, Xiongmaogou, Xiahe County.
- 163. Mycalesis misenus De Nicéville, 1889: 1 °, 12-VII, Liping Natural Reserve, Nanzheng County.
- 164. Mycalesis unica Leech, [1892]: 1 ♀, 9-VII, Simianshan, leg. & coll. Guo-Xi Xue.

#### Lycaenidae

#### Riodininae

- 165. Dodona ouida Hewitson, 1866: 2 ♂♂, 1 ♀, 7-VII, Simianshan.
- 166. Dodona maculosa Leech, 1890: 1 ♀, 9-VII, Simianshan.
- 167. Stiboges nymphidia Butler, 1876: 1♀, 5-VII; 2♂♂, 4♀, 6-VII, Simianshan.
- 168. Abisara burnii (De Nicéville, 1895): 3 dd, 6-VII, Simianshan.
- 169. Abisara fylloides (Moore, 1902): 1 ♀, 5-VII; 3 ♂♂, 4 ♀♀, 6-VII, Simianshan.
- 170. Zemeros flegyas (CRAMER, [1780]): 1 ♂, 8-VII, Simianshan.

## Curetinae

171. Curetis acuta Moore, 1877: 1 , 8-VII, Simianshan.

#### Theclinae

- 172. *Thecla betulina* Staudinger, 1887: 3 ♂♂, 3 ♀, Dongshan, Taibai County; 2 ♂♂, 2-VIII, Miaowangshan, Fengxian County; 2 ♂♂, 31-VII, Danangou, Fengxian County.
- 173. Gonerilia thespis (Leech, 1890): 1 ♂, 29-VII, Pianpiangou, Zhouqu county; 1 ♀, 1-VIII, Dongshan, Taibai County.
- 174. Gonerilla pesthis CHOU & WANG, 1998: 2 00, 29-VII, Pianpiangou, Zhouqu County.
- 175. Gonerilia seraphium (OBERTHÜR, 1886): 2 od, 28-VII, Pianpiangou, Zhouqu County.
- 176. *Gonerilia kitawakii* (Kotwaya, 1993): 1 ♂, 13-VII, Liping Natural Reserve, Nanzheng County; 3 ♀♀, 2-VIII, Miaowangshan, Fengxian County; 2 ♀♀, 5-VIII, Xiaonangou, Fengxian County.
- 177. Gonerilia okamurai (Koiwaya, 1996): 19, 13-VII, Liping Natural Reserve, Nanzheng County.
- 178. Ussuriana fani Koiwaya, 1993: 1 ♀, 4-VIII, Xiaonangou, Fengxian County.
- 179. Wagimo sulgeri (OBERTHÜR, 1908): 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 180. Esakiozephyrus neis (Oberthür, 1914): 2 ♂♂, 14-VII, Liping Natural Reserve, Nanzheng County; 1 ♂, 28-VII, Pianpiangou, Zhouqu County; 1 ♀, 1-VIII, Dongshan, Taibai County.
- 181. *Teratozephyrus muwai* Koiwaya, 1996: 1 °, 29-VII, Pianpiangou, Zhouqu county; 1 °, 3-VIII; 1 °, 4-VIII, Xiaonangou, Fengxian County.
- 182. *Chrysozephyrus marginatus* Howarth, 1957: 1♀, 25-VII; 1♂, 26-VII, Tiangangou, Zhouqu County; 2♂♂, 29-VII, Pianpiangou, Zhouqu County; 12♂♂, 31-VII, Danangou, Fengxian County.
- 183. *Chrysozephyrus smaragdinus* (Bremer, 1861): 21 ♂♂, 1♀, 7-VII, Simianshan; 1 ♂, 28-VII, Pianpiangou, Zhouqu County; 1 ♂, 31-VII, Danangou, Fengxian County.
- 184. Chrysozephyrus sakula Sugiyama, 1992: 1 &, Pianpiangou, Zhouqu County.
- 185. Favonius leechii (RILEY, 1939): 2 od, 13-VII; 2 od, 14-VII, Liping Natural Reserve, Nanzheng County.
- 186. Favonius taxila (Bremer, 1861): 2 od, 1-VIII, Dongshan, Taibai County.
- 187. Araragi enthea (Janson, 1877): 1 o, 13-VII, Liping Natural Reserve, Nanzheng County, leg. & coll. Guo-Xi Xue.
- 188. Satyrium eximia (Fixsen, 1887): 1♀, 29-VII, Pianpiangou, Zhouqu County; 1♂, 1-VIII, Dongshan, Taibai County.
- 189. Satyrium ornata (LEECH, 1890): 1 °, 12-VII, Liping Natural Reserve, Nanzheng County.
- 190. Satyrium percomis (Leech, 1894): 1 ♂, 1 ♀, 31-VII, Danangou, Fengxian County; 1 ♀, 2-VIII, Miaowangshan, Fengxian County.
- 191. Satyrium inflammata (Alphéraky, 1889): 1 9, 27-VII, Pianpiangou, Zhouqu County.
- 192. Satyrium prunoides (Staudinger, 1887): 1 ♀, 28-VII, Pianpiangou, Zhouqu County.
- 193. Satyrium patrius (LEECH, 1891) (fig. 19): 1♀, 29-VII, Pianpiangou, Zhouqu County. Remarks: It is the first record of this species from outside Sichuan.
- 194. Deudorix sylvana OBERTHÜR, 1913: 3 or, 12-VII, Liping Natural Reserve, Nanzheng County.
- 195. Rapala micans (Bremer & Grey, 1853): 1 ♀, 12-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 25-VII, Tiangangou, Zhouqu County.
- 196. *Rapala caerulea* (Bremer & Grey, [1851]): 1 ♀, 14-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 197. Rapala subpurpurea  $\rm \bar{L}$ еесн, 1890: 1 °, 1 °, 9-VII, Simianshan.
- 198. Pratapa contractus (LEECH, 1890) (fig. 20): 2 dd, 7-VII, Simianshan.

- 199. *Pratapa* spec. : 1 of 12-VII, Liping Natural Reserve, Nanzheng County. **Remarks**: This unique of represents the northernmost record in distribution of the genus *Pratapa*. It differs from the of of *P. contractus* (Leech) from Chongqing and western Sichuan in having a smaller size (forewing-length 16.5mm against 17mm), the more restricted blue patches in anal area of the hindwing upperside, and the absence of the postdiscal line in space 1b on the forewing underside.
- 200. Mahathala ariadeva Fruhstorfer, 1908: 1 ♀, 6-VII, Simianshan.

#### Lycaeninae

- 201. Heliophorus epicles (Godart, [1824]) 1 &, 5-VII, Simianshan.
- 202. *Heliophorus saphir* (Blanchard, 1871): 1 ♂, 1 ♀, 9-VII, Simianshan; 1 ♂, 26-VII, Tiangangou; 1 ♂, 1 ♀, 28-VII, Pianpiangou, Zhouqu County.
- 203. Lycaena standfussi (Grum-Grshimailo, 1891): 3 ♂♂, 2 ♀, 18-VII, Xiongmaogou, Xiahe County; 1 ♂, 22-VII, Tiechiliang, Diebu County.

### POLYOMMATINAE

- 204. *Niphanda fusca* (Bremer & Grey, 1853): 1 ♂, 7-VII, Simianshan; 1 ♀, 28-VII, Pianpiangou, Zhouqu county; 1 ♀, 29-VII, Pianpiangou, Zhouqu County.
- 205. Tongeia potanini (Alphéraky, 1889): 1 ♂, 8-VII, Simianshan.
- 206. Tongeia filicaudis (PRYER, 1877): 1 o, 8-VII, Simianshan.
- 207. Bothrinia nebulosa (Leech, 1890): 1 °, 28-VII; 1 °, 29-VII, Pianpiangou, Zhouqu County.
- 208. *Celatoxia marginata* (DE NICÉVILLE, [1884]): 2 ♂♂, 1 ♀, 7-VII, Simianshan.
- 209. *Celastrina argiolus* (Linnaeus, 1758): 1 ♂, 7-VII; 1 ♀, 6-VII, Simianshan; 1 ♀, 12-VII, Liping Natural Reserve, Nanzheng County; 1 ♀, 23-VII, Lazikou, Diebu County; 1 ♂, 29-VII, Pianpiangou, Zhouqu County.
- 210. Celastrina oreas (LEECH, [1893]): 1 9, 31-VII, Danangou, Fengxian County.
- 211. Udara albocaerulea (Moore, 1879): 1 &, 8-VII, Simianshan.
- 212. Pseudozizeeria maha (Kollar, [1844]): 18, 9-VII, Simianshan.
- 213. Jamides bochus (STOLL, [1782]): 1 \, 7-VII, Simianshan.
- 214. *Polyommatus amorata* (Alphéraky, 1897): 2 ♂♂, 14-VII, Liping Natural Reserve, Nanzheng County; 13 ♂♂, 5 ♀, 28-VII, Pianpiangou, Zhouqu County.
- 215. Cupido minimus (Fuessly, 1775): 1 J, 17-VII, Xiongmaogou, Xiahe County.
- 216. Sinia leechi (Forster, 1940): 19, 18-VII, Xiongmaogou, Xiahe County, leg. & coll. Guo-Xi Xue.
- 217. *Albulina orbitulus* (De Prunner, 1798): 2 °C, 16-VII; 5 °C, 17-VII; 3 °C, 18-VII, Xiongmaogou, Xiahe County; 1 °C, 1 °C, 22-VII, Tiechiliang, Diebu County.
- 218. Everes argiades (PALLAS, 1771): 1 °, 23-VII, Lazikou, Diebu County; 1 °, 25-VII, Tiangangou, Zhouqu County.

Acknowledgment: I wish to express my gratitude to Mr. Hao Huang (Qingdao, Shandong), Mr. Song-Yun Lang (Chengdu, Sichuan), Mr. Yu-Fei Li (Xi'an, Shaanxi), Mr. Li-Ping Zhou (Baoji, Shaanxi), Mr. Wen-Hao Sun (Jinan, Shandong) and Mr. Zi-Hao Liu (Huainan, Anhui) for various help. Last but not least, I must express my special thanks to Mr. Guo-Xi Xue (Zhengzhou, Henan) for accompanying me through the trip.

#### References

- Bozano, G. C. (1999): Guide to the butterflies of the Palearctic Region. Satyridae 1: Subfamily Elymniinae, Tribe Lethini. Omnes Artes, Milano.
- Bozano, G. C. (2002): Guide to the butterflies of the Palearctic Region. Satyrinae 3: Tribe Satyrini. Omnes Artes, Milano.
- Bozano, G. C. (2008): Guide to the butterflies of the Palearctic Region. Nymphalidae 3: Subfamily Limenitidinae, Tribe Neptini. Omnes Artes, Milano.
- Bozano, G. C. & A. Floriani (2012): Guide to the Butterflies of the Palearctic Region. Nymphalidae 5: Subfamily Nymphalinae. Omnes Artes, Milano.
- Callaghan, C. J. (2009): The riodinid butterflies of Vietnam (Lepidoptera). Journal of the Lepidopterists' Society **63** (2): 61-82, Cambridge.
- Chiba, H. & H. Tsukiyama (1996): A review of the genus *Ochlodes* Scudder, 1872, with special reference to the Eurasian species (Lepidoptera: Hesperiidae). Butterflies 14: 3-16, Tokyo.
- Снои, I. (1994): Monographia Rhopalocerorum Sinensium. Henan Scientific and Technological Publishing House, Zhengzhou.
- Della Bruna, C., Gallo, E. & V. Sbordoni (2004): Guide to the butterflies of the Palearctic Region, Pieridae Part 1. Omnes Artes, Milano.
- Huang, H. (2014): New or little known butterflies from China (Lepidoptera: Nymphalidae et Lycaenidae). Atalanta 45: 1-12, Marktleuthen.

Koiwaya, S. (1996): Studies of Chinese Butterflies 3. - Tokyo.

Koiwaya, S. (2007): The Zephyrus Hairstreaks of the World. - Mushi-Sha, Tokyo.

LANG, S. Y. (2012): The Nymphalidae of China. - Tshikolovets Publications, Pardubice.

- LEECH, J. H. (1892-1894): Butterflies from China, Japan and Corea. London.
- OSADA, S., UÉMURA, Y. & J. UEHARA (1999): An illustrated checklist of the butterflies of Laos P.D.R. Mokuyo-sha, Tokyo.
- SUGIYAMA, H. (1996): New Butterflies from Western China (4). Pallarge 5: 1-11, Gifu.
- OBERTHÜR, C. (1914): Lépidoptéres de la région sino-thibétaine. Etudes de Lépidoptèrologie Comparée 9: 41-69, pls. 251-257, Paris.
- TADOKORO, T., SHINKAWA, T. & M. WANG (2013): Primary study of *Pieris napi*-group in East Asia (Part1) phylogenetic analyses, morphological characteristic and geographical distribution. Butterflies (Teinopalpus) **64**: 36-43, Tokyo.
- UÉMURA, Y. & S. KOIWAYA (2001): New or little known butterflies of the genus *Ypthima* HÜBNER (Lepidoptera: Satyridae) from China, with some synonymic notes. Part 2. Futao **36**: 2-11, Osaka.
- Weidenhoffer Z., Bozano G. C. & S. Churkin (2004): Guide to the Butterflies of the Palearctic Region. Lycaenidae 2: Subfamily Theclinae, Tribe Eumaeni. Omnes Artes, Milano.
- Weidenhoffer Z. & G. C. Bozano (2007): Guide to the Butterflies of the Palearctic Region. Lycaenidae 3: Subfamily Theclinae, Tribes Tomarini, Aphnaeini and Theclinae (partim). Omnes Artes, Milano.
- Wu, C. S. (2010): Fauna Sinica, Insecta 52, Lepidoptera Pieridae. Science Press, Beijing.
- Yokochi, T. (2011): Revision of the Subgenus *Limbusa* Moore, [1897] (Lepidoptera, Nymphalidae, Adoliadini) Part 2 Group division and descriptions of species 1. Bulletin of the Kitakyushu Museum of Natural History and Human History A Natural History 9: 9-106, Kitakyushu.
- Yokochi, T. (2012): Revision of the Subgenus *Limbusa* Moore, [1897] (Lepidoptera, Nymphalidae, Adoliadini) Part 3 Description of species 2. Bulletin of the Kitakyushu Museum of Natural History and Human History A Natural History 10: 9-100, Kitakyushu.
- YOSHINO, K. (2001): New Butterflies from China 6. Futao 38: 9-16, Tottori.

## Address of the Author

#### SI-YAO HUANG

College of Plant Protection, China Agricultural University No2.Yuan-ming-yuan-xi-lu, 100193, Beijing, P. R. China E-mail: huangsiyao2007@aliyun.com




Fig. A: Map of the collecting sites.




Fig. 1, 2: Ypthima eckweileri Uémura & Koiwaya, 2001, & Liping Natural Reserve, Nanzheng County, Fig. 3-6: Lethe leei Zhao & Wang, 2000, Danangou, Fengxian County; (3, 4)&, (5, 6)&. Fig. 7, 8: Lethe liyufeii Huang, 2014, \$\, Pianpiangou, Zhouqu County. Fig. 9, 10: Minois dryas (Scopoli, 1763), \$\, Pianpiangou, Zhouqu County. Fig. 11: Neptis mahendra Moore, 1872, \$\, Pianpiangou, Zhouqu County. Fig. 12: Neptis choui Yuan & Wang, 1994, \$\, Pianpiangou, Zhouqu County. Fig. 13: Neptis mahendra Moore, 1872, \$\, Pianpiangou, Zhouqu County. Fig. 14: Neptis choui Yuan & Wang, 1994, \$\, Pianpiangou, Zhouqu County. Fig. 15, 16: Aporia nishimwai Koiwaya, 1989, \$\, Tiangangou, Zhouqu County. Fig. 17, 18: Delias berinda (Moore, 1872), \$\, Pianpiangou, Zhouqu County. Fig. 19: Satyrium patrius (Leech, 1891), \$\, Pianpiangou, Zhouqu County. Fig. 20: Pratapa spec., \$\, Liping Natural Reserve, Nanzheng County.